UNITED STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/561,772	12/21/2005	Kiyokazu Yamada	M1071.1951	1397
32172 DICKSTEIN S	7590 12/11/2007 SHAPIRO I I P		EXAMINER	
1177 AVENU	E OF THE AMERICAS (6	STH AVENUE)	PEACE, RHONDA S	
NEW YORK,	NY 10036-2714		ART UNIT PAPER NUMBER 2874	
			MAIL DATE	DELIVERY MODE
			12/11/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



## UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10561772	12/21/2005 ·	YAMADA, KIYOKAZU	M1071.1951

EXAMINER

DICKSTEIN SHAPIRO LLP 1177 AVENUE OF THE AMERICAS (6TH AVENUE) NEW YORK, NY 10036-2714

Rhonda S. . Peace

ART UNIT PAPER

2874

20071204

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents** 

This miscellaneous communication has been provided to correct an inadvertent typographical error in the IDS submitted 12/21/2005. The IDS submitted 12/21/2005 intended to cite JP 64-12710, and instead cited JP 64-42710.

JP 64-12710 was submitted to the Office on 12/21/2005, with the above IDS document. The Examiner considered JP 64-12710 on 10/22/2007.

So that the correct information may be reflected on the cover of the patent document, the following items are enclosed with this communication:

- 1.) A PTO-892 document citing the correct Japanese patent, JP 64-12710, and
- 2.) A copy of the IDS submitted 12/21/2005, wherein the patent number containing the typographical error has been lined out.

A copy of the Japanese patent JP 64-12710 has not been included with this communication.

MICHELLE CONNELLY-CUSHWA
PRIMARY EXAMINER

10/10/

Examiner Art Unit 2874